

# Notice of Allowability

Application No.

09/870,736

Examiner

Blaise L Mouttet

Applicant(s)

SHIOKAWA ET AL.

Art Unit

2853

## -- Th MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the communication of April 30, 2004.
2. ☒ The allowed claim(s) is/are 1-16.
3. ☒ The drawings filed on 13 August 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

### REASONS FOR ALLOWANCE

The primary reason for the indication of the allowability of claims 1-4, 6, 8, 9, 13 and 14 is the inclusion therein, in combination as currently claimed, of the limitation that the total pressure of the reduced pressure atmosphere is set and maintained in a range from about 50 Pa to about 250 Pa. This limitation is found in claims 1-4, 6, 8, 9, 13 and 14 and is neither disclosed nor taught by the prior art of record, alone or in combination. As explained in applicant's written description this pressure range contributes to the art by securing signal stability in the ion attachment mass spectrometry in order to perform the quantitative analysis effectively.

The primary reason for the indication of the allowability of claims 5, 7, 11, 12, 15 and 16 is the inclusion therein, in combination as currently claimed, of the limitation that the allowable fluctuation of total pressure is calculated for each component using a rate of change of sensitivity corresponding to the total pressure during the measurement and a required quantitative error value. This limitation is found in claims 5, 7, 11, 12, 15 and 16 and is neither disclosed nor taught by the prior art of record, alone or in combination.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2853

**Contact Information**


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Blaise Mouttet who may be reached at telephone number (571) 272-2150. The examiner can normally be reached on Monday-Friday from 8:30 a.m. to 5:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier, Art Unit 2853, can be reached at (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Blaise Mouttet June 4, 2004

Bm 6/4/2004

  
**LAMSON NGUYEN**  
**PRIMARY EXAMINER**  
06/04/04